

Sleeve to SADI Bile Duct Injury

Ala Wafa, MD, FMBS


- ***Consultant of Metabolic & Bariatric
Surgery, Tripoli, Libya***
- ***Vice-Chair of Communication Committee
IFSO MENAC***
- ***Assistant Professor Misurata University***
 - ***Director of Libyan Board of MBS
Fellowship program***

History

- ✓ A case of 40 year old female patient
- ✓ Status post sleeve gastrectomy 7 years back
- ✓ BMI 45, Body weight 116kg
- ✓ Nadir BMI 25, Nadir weight 65
- ✓ At presentation BMI 37.5, Weight 95 kg

Upper GI Endoscopy

- ✓ No hiatal hernia
- ✓ No GERD





Upper GI Series

- ✓ No GERD
- ✓ No anatomical abnormality



Next Step

- Surgical plane:
- ✓ Conversion of Sleeve to SADI







Post Operative Journey


- ✓ Patient discharged home on POD 2
- ✓ Her diet gradually advanced
- ✓ Drain removed on POD 8

Post-Operative Journey

➤ 1 month post-operatively:

- ✓ Normal MRCP
- ✓ Normal LFT

➤ Last seen 3 months post operative doing well and no complain



Take Home Message

- ***Experience come from mistakes.....***
- ***We have short life span as a surgeon to learn from our Mistakes...?***
- ***Smart Surgeon learn from the mistakes of the others.....!***





Thank You